



DAMAANSA HOLDINGS

FAITH™ Drops



Faith

ANIMAL
PROTOCOLS

ALL RIGHTS RESERVED

This manual remains the property of Damaansa Holdings Pty Ltd .
No part may be reproduced or copied without permission.

© Damaansa Holdings Pty Ltd
Head Office: PoBox 46816 • Glosderry • 7702
Tel: +27-21-6575786
Fax: +27-21-6575756
Cell: +27-(0)827746274

Regional Office: PoBox 95 • Witelsbos • 6304
Cell: +27. (0) 823399799
Fax +27. (0) 821313399799

(Associated Company: Anno-Organix Pty Ltd.).

WARNING: Any and all information and/or statements made within this document or on our website are for educational use only and are not intended to diagnose, treat or cure, prevent disease or replace the advice of a licensed Healthcare Practitioner.

Note also that our website may provide certain links to other websites operated by other parties. These links are provided for your convenience and reference only and we accept no liability or responsibility for their content.

Damaansa Holdings and its associated companies do not dispense medical advice, prescribe or diagnose illness. Any ideas or views expressed by Damaansa Holdings is not intended to be a substitute for conventional medical /veterinary advice or service. By making use of our manual or product you agree that no responsibility or liability will be incurred to any person with respect to loss damage or injury caused or alleged to be caused directly or indirectly by the information contained in this document or on our website. Consult a licensed Healthcare/veterinary Practitioner before beginning any alternative protocols.

HERBAL EXTRACTS USED

LATIN NAME	ENGLISH
Bidens Pilosa - L	Beggars Ticks
Camptotheca Acuminata	Chinese Cancer Tree
Catharanthus Roseus	Madagascar Periwinkle
Centella Asiatica	Pennywort
Cnicus Benedictus	Holy Thistle
Dicoma Capensis	Koorsbossie
Elytropappus Rhinocerotis	Rinosterbos
Hypoxis Hemerocallidea	African Potato
Leonorus Cardiaca	Motherwort
Leonotis Leonorus	Wilde dagga
Sutherlandia Frutescens	Cancer bush
Tulbaghia Violacea	Wild garlic
Sodium Chlorite	Sodium chlorite

RECOMMENDED TREATMENTS

About the size of drops:

I refer in all cases to the standard FAITH™ bottle and cap shown in this book, which is a 30ml bottle with a dropper cap.

The 30ml bottle holds approximately 450 drops. One milliliter (or one CC) is equal to approximately 15 drops.



Fig.1. A standard FAITH™ 30ml HDPE bottle with dropper cap



Fig.2. A standard FAITH™ 30ml HDPE dropper cap

THE STANDARD FAITH ANIMAL PROTOCOL

The standard FAITH™ formula is administered or taken a maximum of three times per day and each dose does NOT EXCEED more than 1 drop per 10kg of body weight per dose.

This formula can be administered to the animal orally or anally. For VERY extreme cases, all three protocols can be combined and used together.

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	DURATION	ORAL & ANAL PROTOCOL
CANCER PARASITES VIRUSES GENERAL HEALTH NOT FOR BIRDS	1 drop per 10kg of body weight	1 drop per 10kg of body weight	20cc for small domestic and farm animals up to 30kg. For larger animals do not exceed 230cc of sterile water as a transport medium	3 x Daily until clear	Mix Faith Drops and activator together in a glass. Set the timer and wait three (3) minutes. After three minutes, add water to the activated FAITH mixture. Use either a small needless syringe or an enema pump depending on the size of the animal and the volume of liquid to be administered. <u>Administer this solution IMMEDIATELY.</u> Do not mix and store for more than 5minutes.

ILLNESS	FAITH DROPS	ACTIVATOR	DMSO	WATER	DURATION	TRANSDERMAL PROTOCOL
CANCER PARASITES VIRUSES GENERAL HEALTH NOT FOR BIRDS	1drop per 10kg of body weight	1drop per 10kg of body weight	3.75cc (3.75ml) per 10kg of body weight	20cc for small domestic and farm animals up to 30kg For larger animals do not exceed 230cc of sterile water as a transport medium	3 x Daily until clear	ACCORDING TO BODY WEIGHT MIX TOGETHER THE FOLLOWING: Faith Drops & activator. Set the timer & wait three (3) minutes. Then add the DMSO (Dimethyl Sulfoxide) into the activated Faith Drops and allow to stand for a further 3 minutes. Add prescribed amount of water to the activated Faith Drops and DMSO mixture in the glass. Smooth onto skin – stomach, inside of the top of the ear or anywhere there is no fur or using your fingers. DO NOT USE RUBBER GLOVES. DO NOT GO NEAR THE EYES OR POUR INTO THE EARS.

An example of the mix ratio is approximately : 30 drops Faith + 30 drops Activator plus
1 cup of water to ½ cup of DMSO for a 300kg cow

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	DURATION	INTRAVENOUS PROTOCOL
CANCER PARASITES VIRUSES GENERAL HEALTH NOT FOR BIRDS	1 drop for every 10kg of body weight	NIL Do not activate the Faith Drops if you are administering intravenously	20cc of sterile water	3 x Daily until clear	Add unactivated Faith drops to water. Siphon the mixture into a syringe and administer intravenously as per normal.

THE STANDARD FAITH BIRD PROTOCOL

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	CRYSTALS	DURATION	ORAL PROTOCOL
FOR BIRDS FOR GENERAL HEALTH	15ml	NIL	20 Liters	1 teaspoon (5ml)	1 x Daily for 3 days or until clear	Mix water with prescribed amount of FAITH drops. Add to this Potassium Permanganate (Kondys Crystal). Mix solution well, making sure crystals are dissolved. Use this solution as their daily drinking water. This solution will last approximately one month depending on the number of birds on hand.

ILLNESS	FAITH DROPS	ACTIVATOR	WATER	DURATION	ORAL PROTOCOL
BIRD PROTOCOL ONLY: FOR EXTREME CASES	10 DROPS	10 DROPS	500ml	1 x Daily for 3 days or until clear	Mix prescribed amount of FAITH drops AND ACTIVATOR together. Wait 3 minutes. Add water and blend well. Using a syringe draw up 1cc of this solution for every 1kg of body weight. Squirt carefully into the bird's beak, allowing the bird to swallow. DO NOT EXCEED THIS DOSE

For further enquiries kindly contact :

Dr. Michael McDonald

Email: damaansax@vodamail.co.za

Cell: +27823399799